

# Clone Setting items

Rev.1.0

## [INPUT]

- INPUT SETTINGS
  - INPUT NAME
  - QUICK INPUT CHANGE
  - AUTO INPUT CHANGE

## [INPUT-ADVANCED]

- Display Port
  - DisplayPort VERSION
  - HDCP VERSION
  - HDR
  - EQUALIZER
  - DSC
- HDMI
  - HDMI MODE
  - HDCP VERSION
  - HDR
  - EQUALIZER
- SIGNAL FORMAT
  - OVERSCAN
  - VIDEO RANGE
  - COLORIMETRY
- CEC
  - CEC
  - POWER CONTROL LINK
  - AUDIO RECEIVER
  - SEARCH DEVICE
- BACKGROUND COLOR
- VIDEO OUT SETTINGS
  - DUAL DAISY CHAIN MODE
  - DP TO HDMI CONVERT

[PICTURE]

(SVE = OFF)

- PICTURE MODE
- BACKLIGHT
- VIDEO BLACK LEVEL
- GAMMA
  - GAMMA
  - AUTO HDR SELECT
- COLOR
  - COLOR
  - COLOR TEMPERATURE
  - COLOR CONTROL
- CONTRAST

(SVE = ON)

- PICTURE MODE
  - PICTURE MODE
  - PRESET
  - LUMINANCE
  - BLACK
  - GAMMA
  - CUSTOM VALUE
  - SYSTEM GAMMA
  - PEAK LUMI.
  - WHITE
  - RED
  - GREEN
  - BLUE
- EMULATION
  - 3D LUT EMU.
  - COLOR VISION EMU.
- 6 AXIS COLOR TRIM
  - RED
  - YELLOW
  - GREEN

- CYAN
  - BLUE
  - MAGENTA
  - UNIFORMITY
    - UNIFORMITY
- (COMMON)
- BACKLIGHT DIMMING
  - SPECTRAVIEW ENGINE
    - SPECTRAVIEW ENGINE
    - NUMBER OF PICTURE MODES
    - METAMERISM

[PICTURE-ADVANCED]

- UHD UPSCALING
- SHARPNESS
- ASPECT
  - ASPECT SETTINGS
  - ZOOM
- ADAPTIVE CONTRAST
- UNIFORMITY
- AUTO DIMMING
  - AUTO BRIGHTNESS
  - AMBIENT LIGHT SENSING
  - HUMAN SENSING
- TILE MATRIX
  - H MONITORS
  - V MONITORS
  - TILE COMP
- IMAGE FLIP
  - IMAGE FLIP
  - OSD FLIP
- MULTI PICTURE
  - MULTI PICTURE MODE
  - AUDIO
  - ACTIVE PICTURE
  - ACTIVE FRAME

- PICTURE SIZE
- PICTURE POSITION
- ROTATE
  - ROTATE ALL
  - PICTURE1
  - PICTURE2

[AUDIO]

- AUDIO MODE
- VOLUME
- BALANCE
  - STEREO/MONO
  - BALANCE
  - SURROUND
- EQUALIZER
  - TREBLE
  - BASS
- SPEAKER SELECT

[AUDIO-ADVANCED]

- LINE OUT
- AUDIO DELAY
  - AUDIO DELAY
  - DELAY TIME
- AUDIO INPUT

[SCHEDULE]

- SCHEDULE SETTINGS
  - SETTINGS
  - POWER
  - TIME
  - INPUT
  - DATE
  - EVERY WEEK
- OFF TIMER

[SLOT]

(OPTION)

- POWER SETTING
  - AUTO POWER UP
  - AUTO SHUTDOWN
  - POWER SUPPLY OFF DELAY
  - AUTO DISPLAY OFF
  - OFF WARNING
- ADVANCED SETTING
  - CHANNEL SELECT

(COMPUTE MODULE)

- POWER SETTING
  - AUTO POWER UP
  - AUTO SHUTDOWN
  - POWER SUPPLY OFF DELAY
  - AUTO DISPLAY OFF
  - OFF WARNING
- ADVANCED SETTING
  - SHUTDOWN SIGNAL
  - IR SIGNAL
  - MONITOR CONTROL
  - WDT
- SLOT POWER

[NETWORK]

- NETWORK SECURITY
  - INTERFACE
  - NETWORK PORT

[PROTECT]

- POWER SAVE SETTING
  - POWER SAVE
  - TIME SETTING
  - POWER SAVE MESSAGE
  - QUICK START
- THERMAL MANAGEMENT
  - FAN CONTROL
  - FAN SPEED
- SCREEN SAVER
  - MOTION
  - INTERVAL
  - ZOOM
- POWER ON DELAY
  - DELAY TIME
  - LINK TO ID
- LOCK SETTING
  - SELECT
  - MODE
  - POWER
  - VOLUME
  - MIN VOL
  - MAX VOL
  - INPUT
- ALERT MAIL

[SYSTEM]

- DATE & TIME
  - TIME ZONE
  - INTERNET TIME SERVER
  - YEAR
  - MONTH
  - DAY
  - TIME
- DAYLIGHT SAVING
  - DAYLIGHT SAVING
  - BEGIN MONTH
  - END MONTH
  - TIME DIFFERENCE
- LANGUAGE
- OSD
  - OSD TIME
  - OSD POSITION
  - OSD SIZE
  - INFORMATION OSD
  - COMMUNICATION INFO
  - OSD TRANSPARENCY
  - OSD ROTATION
  - KEY GUIDE
- POWER INDICATOR
- MUTE SETTING
- USB
  - PC SOURCE
  - USB POWER
  - EXTERNAL CONTROL

[HTTP SERVER]

- MAIL SETTINGS
  - ALERT MAIL
  - STATUS MESSAGE
  - DOMAIN NAME
  - SMTP SERVER
  - RECIPIENT'S ADDRESS 1
  - RECIPIENT'S ADDRESS 2
  - RECIPIENT'S ADDRESS 3
- SNMP SETTINGS
- AMX SETTINGS
- NETWORK SERVICE SETTINGS
  - PJLink CLASS
  - NOTIFY FUNCTION ENABLE
  - NOTIFY ADDRESS